Human Immunology

Volume 26, Number 1, September 1989

Contents

JEFFREY R. DAWSON
HLA Terminology Policy Change 1

BO DUPONT
Nomenclature for Factors of the HLA System, 1987 3

JEFFREY R. DAWSON
Editorial 15

ERICH POHANKA, ROBERTO C. MANFRO, CARRIE OTO, BETH W. COLOMBE, JULIET S. MELZER, NICHOLAS FEDUSKA, OSCAR SALVATIERRA, JR., and MARVIN R. GAROVOY
"Anti-Idiotypic" Antibodies to HLA in Transiently Sensitized DST Patients 17

CAROLYN A. KEEVER, NEAL FLOMENBERG, TRUDY SMALL, JOEL BROCHSTEIN, NANCY COLLINS, SOO YOUNG-YANG, RICHARD INSEL, BO DUPONT, and RICHARD J. O'REILLY
Loss of Tolerance Associated with Disappearance of B Cells in a Patient Sequentially Transplanted with Paternal and Maternal Bone Marrow for the Treatment of Severe Combined Immunodeficiency Disease 27

S. L. WOULFE, K. RICE, D. K. DIDIER, M. R. HARRIS, J. SCHIFFENBAUER, M. KLEARMAN, M. A. FARRAR, and B. D. SCHWARTZ
Evidence for Heterogeneity of the DPA and DPB Alleles Derived from a DRw11,DQw7,DPw4 Cell Line 39

ANNEMARIE TERMIJTELEN, PETER VAN DEN ELSEN, FRITS KONING, SASKIA DE KOSTER, WILLEKE SCHROEIJERS, and BART VANDERKERCKHOVE
A Novel T-Cell-Defined HLA-DR Polymorphism Not Predicted from the Linear Amino Acid Sequence 47

JERRY S. S. LANCHBURY, LAZAROS I. SAKKAS, STEVEN G. E. MARSH, JULIA G. BODMER, KEN I. WELSH, and GABRIEL S. PANAYI
HLA-DQβ 3.1 Allele Is a Determinant of Susceptibility to DR4-Associated Rheumatoid Arthritis 59

Announcements 73

Human Immunology is cited in *Biological Abstracts, Chemical Abstracts, Current Contents (Life Sciences), Excerpta Medica, Index Medicus*

Human Immunology

Volume 26, Number 2, October 1989

Contents

SERGIO ROMAN-ROMAN, ELENA BAIXERAS, CATHERINE GENEVÉE, THIERRY HERCEND, and FRÉDÉRIC TRIEBEL
The T-Cell Receptor Vδ Genes Predominantly Used by Human Peripheral γ/δ^+ T Lymphocytes Are Not Rearranged in $CD3^-$ Natural Killer Cells 75

RUSSELL D. SALTER and PETER PARHAM
Mutually Exclusive Public Epitopes of HLA-A,B,C Molecules 85

R. L. DAWKINS, A LEAVER, P. U. CAMERON, E. MARTIN, P. H. KAY, and F. T. CHRISTIANSEN
Some Disease-Associated Ancestral Haplotypes Carry a Polymorphism of TNF 91

KATSUSHI TOKUNAGA, P. H. KAY, F. T. CHRISTIANSEN, G. SAUERACKER, and R. L. DAWKINS
Comparative Mapping of the Human Major Histocompatibility Complex in Different Racial Groups by Pulsed Field Gel Electrophoresis 99

WEIMIN FAN, MASANORI KASAHARA, JUTTA GUTKNECHT, DAGMAR KLEIN, WERNER E. MAYER, MARGREET JONKER, and JAN KLEIN
Shared Class II MHC Polymorphisms Between Humans and Chimpanzees 107

HOWARD M. GEBEL, LAURALYNN K. LEBECK, STEPHEN C. JENSIK, KEVIN WEBSTER, and ROBERT A. BRAY
T Cells from Patients Successfully Treated with OKT3 Do Not React with the T-Cell Receptor Antibody 123

MOHAMED H. SAYEGH, JEAN P. KUT, and EDGAR L. MILFORD
Anti-CD4 Monoclonal Antibody Effects Cellular Hyporesponsiveness and Prolongs Renal Allograft Survival in the Rat 131

BENJAMIN P. CHEN, VALERY LAM, ERIC E. KRAUS, ROBERT DEMARS, and PAUL M. SONDEL
Restriction of Epstein-Barr Virus--Specific Cytotoxic T Cells by HLA-A, -B, and -C Molecules 137

Erratum 149

Human Immunology is cited in *Biological Abstracts, Chemical Abstracts, Current Contents (Life Sciences), Excerpta Medica, Index Medicus*

Human Immunology

Volume 26, Number 3, November 1989

Contents

FRANCES E. WARD, ALICE D. STEWART, ROBERT E. RUIZ, PAMELA KILLIAN, D. BERNARD AMOS, ARMEAD H. JOHNSON, and DONNA D. KOSTYU
Epitopes within the HLA-B5,B35 Cross-reacting Group 151

GIOVANNA ANGELINI, TEODORICA L. BUGAWAN, LAURA DELFINO, HENRY A. ERLICH, and GIOVANNI BATTISTA FERRARA
HLA-DP Typing by DNA Amplification and Hybridization with Specific Oligonucleotides 169

ANDREW BUSHELL, ROBERT M. HIGGINS, KATHRYN J. WOOD, and PETER J. MORRIS
HLA-DQ Mismatches Between Donor and Recipient in the Presence of HLA-DR Compatibility Do Not Influence the Function or Outcome of Renal Transplants 179

JEFFREY L. BIDWELL, ELIZABETH A. BIDWELL, DAVID M. SANSOM, PETER T. KLOUDA, and BENJAMIN A. BRADLEY
The Origin of HLA-DR"B": Exon 2 Nucleotide Sequence Implicates Possible Gene Conversion of DR1 by DR4-Dw10, DR5, or DRw6-Dw18 191

FRANCIEN T. M. ROTTEVEEL, JACQUES J. NEEFJES, HIDDE L. PLOEGH, and CORNELIUS J. LUCAS
Influenza Virus Changes Cell-Surface Glycoproteins Including Major Histocompatibility Complex Determinants on Lymphocytes 199

KJERSTI S. RØNNINGEN, THOMAS IWE, TROND S. HALSTENSEN, ANNE SPURKLAND, and ERIK THORSBY
The Amino Acid at Position 57 of the HLA-DQβ Chain and Susceptibility to Develop Insulin-Dependent Diabetes Mellitus 215

Human Immunology is cited in *Biological Abstracts, Chemical Abstracts, Current Contents (Life Sciences), Excerpta Medica, Index Medicus*

Human Immunology

Volume 26, Number 4, December 1989

Contents

AGATHE HAJEK-ROSENMAYR, LISI JUNGL, MARIA STAMMLER, and MARIA KIRNBAUER
HLA-C Locus Antigens Seen by One-Dimensional Isoelectric Focusing: Definition of the So Far Known HLA-C Specificities and of Two Subtypes 227

R. W. MARTELL, M. OUDSHOORN, R. M. MAY, and E. D. DU TOIT
Restriction Fragment Length Polymorphism of HLA-DRw53 Detected in South African Blacks and Individuals of Mixed Ancestry 237

WILLIAM E. BRAUN
Laboratory and Clinical Management of the Highly Sensitized Organ Transplant Recipient 245

MICHAEL J. SHEEHY, LOUISE M. MESKE, CAROL A. EMLER, JAMES R. ROWE, MABEL H. NEME DE GIMENEZ, CAROLINE A. INGLE, AGNES CHAN, MASSIMO TRUCCO, and TAK W. MAK
Allelic T-Cell Receptor α Complexes Have Little or No Influence on Susceptibility to Type 1 Diabetes 261

MARIANA HERRERA, LILIEN CHERTKOFF, ETHEL PALAVECINO, ALICIA MOTA, MARIA DEL CARMEN GUALA, LEONARDO FAINBOIM, and M. LEONARDO SATZ
Restriction Fragment Length Polymorphism in HLA Class II Genes of Latin-American Caucasian Celiac Disease Patients 272

MOHAMED H. SAYEGH, LAURENCE A. TURKA, EDGAR L. MILFORD, and CHARLES B. CARPENTER
Mixed Lymphocyte Response-Generated Suppressor Cell Specificity in Humans Is Major Histocompatibility Complex-Restricted 281

CLIFFORD R. HUME and JANET S. LEE
Congenital Immunodeficiencies Associated with Absence of HLA Class II Antigens on Lymphocytes Result from Distinct Mutations in Trans-acting Factors 288

SUVINA RATANACHAIYAVONG, R. DUNCAN CAMPBELL, and ALAN M. MCGREGOR
Enhanced Resolution of the SstI Polymorphic Variants of the C2 Locus: Description of a New Size Class 310

Human Immunology is cited in *Biological Abstracts, Chemical Abstracts, Current Contents (Life Sciences), Excerpta Medica, Index Medicus*

A. URLACHER, J.-M. TIERCY, M. SCHLESIER, V. STEIMLE, H. PETER, M. JEANNET, B. MACH, and M. M. TONGIO
A T-Cell Clone Recognizing an MLC Stimulating Epitope Located on the DRw11β1 Chain 321

JAMES W. THOMAS, ELIZABETH ZENOWICH, MARGARET BECKWITH, and LAURA J. NELL
Genetic Origin of Human Anti-Insulin Antibodies 333

C. CARRIER, N. MOLLEN, F. GINSBERG-FELLNER, W. C. ROTHMAN, and P. RUBINSTEIN
DQA1 Restriction Fragment Length Polymorphisms and Insulin-Dependent Diabetes Mellitus:
A BglII Fragment Labels a Subset of B8,DR3 Haplotypes Uniquely Associated with Insulin-Dependent Diabetes Mellitus 344

THOMAS R. WELCH, LINDA S. BEISCHEL, and EDMUND M. CHOI
Molecular Genetics of C4B Deficiency in IgA Nephropathy 353

MOHAMED EMARA, OLIVERA J. FINN, and FRED SANFILIPPO
Characteristics of a Human Liver Allograft-Derived T-Cell Line That Exhibits Suppressor Activity 364

AUTHOR INDEX TO VOLUMES 24, 25, and 26 386

SUBJECT INDEX TO VOLUMES 24, 25, and 26 389

VOLUME CONTENTS

The Future Is Fluoro.

And the future is now with the Lambda Scan™ Fluoro, the first fully *automated* HLA tray reading and evaluation system. From the scoring of tissue typing trays to performing complex analysis of HLA typing and screening data, the third stage of the Lambda Scan™ Component System brings a new level of sophistication into the HLA laboratory. Here are just a few of its features:

- The Fluoro Module scans both green and red light intensities simultaneously
- Automatic correction for viability, purity, and tray maker variances
- Semi and fully automated reading modes allowing visual confirmation of scoring by the Fluoro Module
- Performance proven analysis software containing Tissue Typing, Antibody Screening and Quality Control programs
- An innovative stacker/cassette for fully automated tray handling

Call 213-478-1001 to get more information on what the future holds for your lab.

Cassette/Stacker: detachable cassettes holding up to ten trays automate tray handling.

Programmable Motorized Stage: accepts trays from all manufacturers. Programmable tray layouts ensure that each well is centered in the viewer field.

Fluoro Module: capable of reading and scoring ten trays in just a few minutes.

IBM AT or compatible computer required for operation.

Data Entry Keypad: fast and simple entry of reaction data eliminates transcription errors. Multi-function toggles provide total control of tray movement.

Lambda Scan™ Fluoro

Stage Three of The Lambda Scan™ Component System

ONE LAMBDA
Your HLA Resource

One Lambda, Inc.
2435 Military Avenue
Los Angeles, California 90064
213/478-1001
FAX 213/478-1004
Customer Service 800/822-8824
©10/89 OLI
All rights reserved